## Seal securely

instead of inserting





h: 11" - 14" w: 200 - 230 mm





plenty of options



**Toner Sealing** 



easy maintenance



**FLEXIPLUS** 

## Mailings ready to send


## Easy and efficient

The Flexi Plus Sealer is the ideal system for preparing printed documents for mailing without inserting. The high-capacity Self-Mailer folds and seals paper by a clever process making envelopes and glue unnecessary: Whether chemically coated, glue- or toner-based papers – the document is heated and safely sealed under pressure. A clean, reliable and economical solution and, thanks to the simple modular layout, with the added value of low service and maintenance costs.


At up to 12,500 documents per hour Flexi Plus Sealer delivers high production capacity. The unique closing technology seals the document with heat and pressure and is perfectly suitable for sensitive data such as PIN-Codes, bank statements, insurance information or also direct mailings. The Flexi Plus Sealer makes selfmailing easy and efficient additionally offering a wide range of possibilities.

- Bigger sheet-feeder for up to 1,500 sheets optional
- The modular system can be configured for continuous forms at any time
- > Four folding pockets permit single-, letter-, z- or double-fold
- > Feeder for an enclosure in A6 format optional upon request
- Seals different type of paper with heat and pressure – even expired glue-coated documents after long storage

- Toner sealing requires no special paper. Toner-frames are printed together with the text in one step
- Easily comprehensible operation reduces training requirements
- Easy accessibility as well as simple and cost-effective maintenance even without service specialists
- Low TCO (Total Cost of Ownership) thanks to attractive purchase prices and low maintenance requirements



## **Technical Data**



Max. performance			
without enclosure	up to 12,500 doc/h	with enclosure	up to 6,250 doc/h
Standard paper formats			
Height	11" - 14"	Width	200 mm - 230 mm
Paper weight	90 g - 120 g	Other formats and paper weights on request	
Standard features			
Infeed and upright unit		4 folding unit	
4 cassettes with upper heaters		4 pressure wheels	
4 perforation knives		Microprocessor controlled	
Stacking table		Turning unit	
Options			
Cut-sheet feeder up to 1,500 sheets		Enclosure station (A6)	
Special cassette for asymmetrical folding		Unistacker (1,880 mm + 1,100 mm extension module)	





BÖWE SYSTEC GmbH

Werner-von-Siemens-Straße 1, 86159 Augsburg, Germany Phone: +49 821 5702-0, Fax: +49 821 5702-234 info@boewe-systec.com, www.boewe-systec.com